Novokuibyshevsk Petrochemical Company Joint Stock Company
Russian Federation, Samara region, Novokuibyshevsk city
Email address: nnk@nnk.rosneft.ru tel. (84635) 3-02-20
Certificate of quality management system for compliance with the requirements of ISO 9001:2015 No. 31100975QM15. Certificate validity period: until 27.09.2024





## **QUALITY CERTIFICATE No. 2407**

Hydrocarbon liquefied fuel gases for municipal and household consumption propane-butane technical (PBT) grade GOST 20448-2018 as amended

Declaration of Conformity of the EAEU N RU D- RU,CC06.B.00089/19 of 28.06.2019 valid until 27.06.2022

**EXPORT** 

Technical Regulations of the Eurasian Economic Union "Requirements for Liquefied Petroleum Gases for their Use as Fuel" (EAEU TR 036/2016)

Date of manufacture27.12.2021Product vessel No.5/6Date of sampling27.12.2021Net weight, t34.750Test date:27.12.2021Rail tank car No.57847832

The tests were carried out at the Testing Center - Quality Control Department of NNK JSC

Certificate of accreditation No. ROSS RU.0001.515720 Date of entry of information into the register of accredited entities July 29, 2015.

No. Item No.	Name of the indicator	Testing method	GOST 20448-2018 as amended	The norm for the EAEU TR 036/2016	Actually
1	Content of components: - the amount of methane, ethane and ethylene, mass fraction, %		Not standardized Definition required		0.0720
	-the amount of propane and propylene, mass fraction, %	GOST 10679-2019	Not standardized	-	83.24
	-the amount of butanes and butylenes, mass fraction, %		The definition must be at least 60.0		16.58
	The content of hydrogen sulfide and mercaptan sulfur, - mass fraction, % including hydrogen sulfide - mass fraction, %		maximum 0.013	maximum 0.013	0.0022
		GOST 22985-2017	maximum 0.003	maximum 0.003	Less than 0.0002
	Saturated vapor pressure is excessive, MPa, at temperature: - plus 45°C	GOST 28656-2019	maximum 1.6	maximum 1.6	0.4
4	Volume fraction of liquid residue at 20°C, %	GOST 20448-2018,	maximum 1.6	maximum 1.8	Absence
5	Free water and alkali content	item 9.2 and Appendix B	Absence	Absence	Absence
6	Odor intensity, Point	GOST 22387.5-2014 item 7.1	minimum 3	minimum 3	-
	Note 1 to table 2 of item 5.2 of GOST 20448-2018: "It is allowed not to determine the intensity of the odor with a mass fraction of mercaptan sulfur in liquefied gas of 0.002% (20 ppm) or more." Mass fraction of mercaptan sulfur, %				0.0022

Conclusion: Liquefied hydrocarbon fuel gas for municipal consumption of the propane-butane technical grade (PBT) meets the requirements:

- Technical Regulations of the Eurasian Economic Union "Requirements for Liquefied Petroleum Gases for their Use as Fuel" (EAEU TR 036/2016) GOST 20448-2018 as amended

## Additional Information:

- Mass fraction of propane, %	GOST 10679-2019	83.24
- Mass fraction of the amount of butanes, %	GOST 10679-2019	15.86
- Density at a temperature of 15 ° C, kg/m3	GOST 28656-2019	519.4

The manufacturer guarantees that the product quality meets the requirements of this standard, subject to the conditions of transportation and storage. The warranty period of storage is 6 months from the date of manufacture

Stamp here	. Specialist	/	/signature/	R. A. Maksimenkova	
			(signature)	(surname, initials)	

Certificate issue date: 30.12.2021 Seal: